

MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2010 CONSUMER CONFIDENCE REPORT

Water Systems Covered by this CCR

The Fe confide must be	ederal Safe Drinking Water Act requires each <i>community</i> public water system to develop and distribute a consumer ence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR emailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.
Please	Answer the Following Questions Regarding the Consumer Confidence Report
X	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper On water bills Other post card sent to each customer
	Date customers were informed: 06 / 05/2011
	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
	Date Mailed/Distributed: / /
	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
	Name of Newspaper:
	Date Published:/_/
	CCR was posted in public places. (Attach list of locations)
	Date Posted: / /
0	CCR was posted on a publicly accessible internet site at the address: www
	FICATION
Departm	certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in and manner identified above. I further certify that the information included in this CCR is true and correct and is ent of Health, Bureau of Public Water Supply.
Name/T	itle (President, Mayor, Owner, etc.) Mc Whorter, President Mail Completed Form to: Bureau of Public Way S. 1. (2)
JV1/1	Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

2010 Annual Water Quality Report Turkey Creek Water Association

Is my water safe?

In 2010, as in years past, your tap water met all U. S. Environmental Protection Agency (EPA) and state drinking water health standards. Turkey Creek Water Association vigilantly safeguards its water supplies and, once again, we are proud to report that our system has not violated a maximum contaminant level or any other water quality standard.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immune-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Water Drinking Hotline (800-426-4791).

Where does my water come from?

Turkey Creek Water Association (TCWA) distributes ground water from a well located near Oktoc Road. In case of power outages, TCWA may also obtain water from Sessums Water Association, which is also ground water.

Source water assessment and its availability

TCWA pumps its water from the Gordo Aquifer at a depth of approximately 1400 feet.

Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA) Safe Drinking Water Hotline (800-426-4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity: microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses; organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems; and radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

How can I get involved?

TCWA meets annually in October. There are also called meetings of the association board of directors. If you desire to become involved, please contact W. Daniel Bryant at 1477 Hillbrook Drive, Starkville, MS 39759 or phone at 662-323-6546.

Description of Water Treatment Process

Your water is treated by disinfection. Disinfection involves the addition of chlorine or other disinfectant to kill dangerous bacteria and microorganisms that may be in the water. Disinfection is considered to be one of the major public health advances of the 20th century.

Water Conservation Tips

Did you know that the average U.S. household uses approximately 400 gallons of water per day or 100 gallons per person per day? Luckily, there are many low-cost and no-cost ways to conserve water. Small changes can make a big difference – try one today and soon it will become second nature.

- Take short showers a 5 minute shower uses 4 to 5 gallons of water compared to up to 50 gallons for a bath.
- Shut off water while brushing your teeth, washing your hair and shaving and save up to 500 gallons a month.
- Use a water-efficient showerhead. They're inexpensive, easy to install, and can save you up to 750 gallons a month.
- Run your clothes washer and dishwasher only when they are full. You can save up to 1,000 gallons a month.
- Water plants only when necessary.
- Fix leaky toilets and faucets. Faucet washers are inexpensive and take only a few minutes to replace. To check your toilet for a leak, place a few drops of food coloring in the tank and wait. If it seeps into the toilet bowl without flushing, you have a leak. Fixing it or replacing it with a new, more efficient model can save up to 1,000 gallons a month.
- Adjust sprinklers so only your lawn is watered. Apply water only as fast as the soil can absorb it and during the cooler parts of the day to reduce evaporation.
- Teach your kids about water conservation to ensure a future generation that uses water wisely. Make it a family effort to reduce next month's water bill!
- Visit <u>www.epa.gov/watersense</u> for more information.

Source Water Protection Tips

Protection of drinking water is everyone's responsibility. You can help protect your community's drinking water source in several ways:

- Eliminate excess use of lawn and garden fertilizers and pesticides they contain hazardous chemicals that can reach your drinking water source.
- Pick up after your pets.
- If you have your own septic system, properly maintain your system to reduce leaching to water sources or consider connecting to a public water system.
- Dispose of chemicals properly; take used motor oil to a recycling center.
- Volunteer in your community. Find a watershed or wellhead protection organization in your community and volunteer to help. If there are no active groups, consider starting one. Use EPA's Adopt Your Watershed to locate groups in your community, or visit the Watershed Information Network's How to Start a Watershed Team.
- Organize a storm drain stenciling project with your local government or water supplier. Stencil a message next to the street drain reminding people "Dump No Waste Drains to River" or "Protect Your Water." Produce and distribute a flyer for households to remind residents that storm drains dump directly into your local water body.

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Turkey Creek Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Water Quality Data Table

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of contaminants in water provided by public water systems. The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. Although many more contaminants were tested, only those substances listed below were found in your water. All sources of drinking water contain some naturally occurring contaminants. At low levels, these substances are generally not harmful in our drinking water. Removing all contaminants would be extremely expensive, and in most cases, would not provide increased protection of public health. A few naturally occurring minerals may actually improve the taste of drinking water and have nutritional value at low levels. Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not vary significantly from year to year, or the system is not considered vulnerable to this type of contamination. As such, some of our data, though representative, may be more than one year old. In this table you will find terms and abbreviations that might not be familiar to you. To help you better understand these terms, we have provided the definitions below the table.

Contaminants	MCLG or MRDLG	MCL, TT, or MRDL			inge High	Sample <u>Date</u>	<u>Violation</u>	<u>Typical Source</u>
Disinfectants & Dis					1.05			
	evidence th	at additic	on of a di	sinfect	ant is n	ecessary f	for control of	of microbial contaminants)
Chlorine (as Cl2) (ppm)	4	4	0.63	0.63	0.75	2010	No	Water additive used to control microbes
Inorganic Contamii	nants							
Antimony (ppb)	6	6	0.5	NA		2008	No	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder; test addition.
Arsenic (ppb)	0	10	0.5	NA		2008	No	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes
Barium (ppm)	2	2	0.055	NA		2008	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
Beryllium (ppb)	4	4	0.1	NA		2008	No	Discharge from metal refineries and coal-burning factories; Discharge from electrical, aerospace, and defense industries
Cadmium (ppb)	5	5	0.1	NA		2008		Corrosion of galvanized pipes; Erosion of natural deposits; Discharge from metal refineries; runoff from waste batteries and paints
Chromium (ppb)	100	100	0.05	NA		2008	No	Discharge from steel and pulp mills; Erosion of natural deposits

Fluoride (ppm)	4	4	0.142	NA	2008	No	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories
Mercury [Inorganic] (ppb)	2	2	0.2	NA	2008	No	Erosion of natural deposits; Discharge from refineries and factories; Runoff from landfills; Runoff from cropland
Selenium (ppb)	50	50	0.5	NA	2008	No	Discharge from petroleum and metal refineries; Erosion of natural deposits; Discharge from mines
Thallium (ppb)	0.5	2	0.5	NA	2008	No	Discharge from electronics, glass, and Leaching from ore- processing sites; drug factories
Volatile Organic Con	ntaminant	S					
1,2,4- Trichlorobenzene (ppb)	70	70	0.05	NA	2009	No	Discharge from textile- finishing factories
cis-1,2- Dichloroethylene (ppb)	70	70	0.05	NA	2009	No	Discharge from industrial chemical factories
Xylenes (ppm)	10	10	0.05	NA	2009	No	Discharge from petroleum factories; Discharge from chemical factories
Dichloromethane (ppb)	0	5	0.05	NA	2009	No	Discharge from pharmaceutical and chemical factories
o-Dichlorobenzene (ppb)	600	600	0.05	NA	2009	No	Discharge from industrial chemical factories
p-Dichlorobenzene (ppb)	75	75	0.05	NA	2009	No	Discharge from industrial chemical factories
Vinyl Chloride (ppb)	0	2	0.05	NA	2009	No	Leaching from PVC piping; Discharge from plastics factories
1,1-Dichloroethylene (ppb)	7	7	0.05	NA	2009	No	Discharge from industrial chemical factories
trans-1,2- Dicholoroethylene (ppb)	100	100	0.5	NA	2009	No	Discharge from industrial chemical factories
1,2-Dichloroethane (ppb)	0	5	0.05	NA	2009	No	Discharge from industrial chemical factories
1,1,1-Trichloroethane (ppb)	200	200	0.05	NA	2009	No	Discharge from metal degreasing sites and other factories
Carbon Tetrachloride (ppb)	0	5	0.05	NA	2009	No	Discharge from chemical plants and other industrial activities

1,2-Dichloropropane (ppb)	0	5	0.05	NA	2009)	No	Discharge from industrial chemical factories
Trichloroethylene (ppb)	0	5	0.05	NA	2009)	No	Discharge from metal degreasing sites and other factories
1,1,2-Trichloroethane (ppb)	3	5	0.05	NA	2009)	No	Discharge from industrial chemical factories
Tetrachloroethylene (ppb)	0	5	0.05	NA	2009		No	Discharge from factories and dry cleaners
Benzene (ppb)	0	5	0.05	NA	2009)	No	Discharge from factories; Leaching from gas storage tanks and landfills
Toluene (ppm)	1	1	0.05	NA	2009		No	Discharge from petroleum factories
Ethylbenzene (ppb)	700	700	0.05	NA	2009			Discharge from petroleum refineries
Styrene (ppb)	100	100	0.05	NA	2009			Discharge from rubber and plastic factories; Leaching from landfills
			Your	Sampl	e # Sam	ples	Excee	ds
<u>Contaminants</u>	MCLG	<u>AL</u>	Water	Date	Exceeding	ıg AL	AL	Typical Source
Inorganic Contamina	ınts							
Copper - action level at consumer taps (ppm)	1.3	1.3	0.1	2008	0		No	Corrosion of household plumbing systems; Erosion of natural deposits
Lead - action level at consumer taps (ppb)	0	15	0.001	2008	0		No	Corrosion of household

Undetected Contaminants

The following contaminants were monitored for, but not detected, in your water.

<u>Contaminants</u>	MCLG or <u>MRDLG</u>	MCL or <u>MRDL</u>	Your <u>Water</u>	<u>Violation</u>	Typical Source
Haloacetic Acids (HAA5) (ppb)	NA	60	ND	NO	By-product of drinking water chlorination
TTHMs [Total Trihalomethanes] (ppb)	NA	80	ND	INIO	By-product of drinking water disinfection

Term	Definition
ppm	ppm: parts per million, or milligrams per liter (mg/L)
ppb	ppb: parts per billion, or micrograms per liter (μg/L)
NA	NA: not applicable
ND	ND: Not detected
NR	NR: Monitoring not required, but recommended.

Important Drinking Water Definitions							
Term	Definition						
MCLG	MCLG: Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.						
MCL	MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.						
TT	TT: Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water.						
AL	AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.						
Variances and Exemptions	Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions.						
MRDLG	MRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.						
MRDL	MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.						
MNR	MNR: Monitored Not Regulated						
MPL	MPL: State Assigned Maximum Permissible Level						

For more information please contact:

Contact Name: W. Daniel Bryant Address:

1477 Hillbrook Drive Starkville, MS 39759 Phone: 1-662-323-6546

E-Mail: wdbretcpa@gmail.com

1811 Oktoc Rd. Starkville MS 139759



Daniel Bryant 1477 Hillbrook Dr. Starkville, MS 39759

The 2010 Annual Turkey
Creek Water Quality Report
(sometimes referred to as the
Consumer Confidence
Report) will be available by
July 1, 2011. You may write
or call for a copy:

John McWhorter 1528 Hillbrook Drive Starkville, MS 39759

Phone: 323-7034

EXAMPLE & POST CAND SENT TO CUSTOMENS